

The image features a close-up of vibrant green leaves with prominent veins, set against a soft, out-of-focus background of more green foliage. The lighting is bright and natural, creating a fresh and organic atmosphere.

CLASSICS SENSATIONS

 **Sauleda** Solar Pro



2015 AMARILLO N UV Protection 40



2052 NARANJA N UV Protection 60



2212 ROJO N UV Protection 40



2249 VERDEX UV Protection 80



2248 VERDE N UV Protection 60



2680 BOTELLA N UV Protection 60



2360 AZUL REAL X UV Protection 80



2359 AZUL REAL N UV Protection 60



2020 AZUL X UV Protection 80



2019 AZUL N UV Protection 60



2681 INTEGRAL X UV Protection 60 **NEW**



2165 MARRON X UV Protection 80



2149 MARRON N UV Protection 60



2148 MARRON BEIGE UV Protection 80



2275 BEIGE X UV Protection 60



2183 OCRE MARRON UV Protection 80



2641 OCRE X UV Protection 60



2120 KENIA UV Protection 80



2682 PIEDRA X UV Protection 60 **NEW**



2103 GRIS N UV Protection 60



2171 NEGRO N UV Protection 60





Características técnicas

| | | |
|-----------------|---------------------------------------|-------------------|
| Materia | Masacril® Acrílico tintado masa 100 % | |
| Hilos | Urdimbre | 30 h/cm (Nm 34/2) |
| | Trama | 15 h/cm (Nm 34/2) |
| Resistencia | Urdimbre | 140 daN/5 cm |
| | Trama | 95 daN/5 cm |
| Peso | 300 g/m ² | |
| Columna de agua | 360 mm | |
| Acabado | Sauleda Fabric Protector | |
| Longitud piezas | 60 m / 100 m | |
| Ancho | 120 cm 4" | |

Technical characteristics

| | | |
|------------------|---------------------------------|-------------------|
| Fabric | Masacril® Acrylic solution dyed | |
| Yarns | Warp | 30 h/cm (Nm 34/2) |
| | Weft | 15 h/cm (Nm 34/2) |
| Tensile Strength | Warp | 140 daN/5 cm |
| | Weft | 95 daN/5 cm |
| Weight | 300 g/m ² | |
| Water repellency | 360 mm | |
| Finish | Sauleda Fabric Protector | |
| Length of rolls | 60 m / 100 m | |
| Width | 120 cm 4" | |





Sauleda

DESDE | SINCE 1897

SAULEDA, S.A.
Travessera de les Corts, 102
08028 Barcelona (Spain)
Tel. +34 933 397 150
Fax +34 934 111 290
sauleda@sauleda.com
www.sauleda.com